

[illegible]

UN

```

MM          MM          AAAAAA          PPPPPPPP
MM          MM          AAAAAA          PPPPPPPP
MMMM        MMMM        AA          AA          PP          PP
MMMM        MMMM        AA          AA          PP          PP
MM          MM          MM          AA          AA          PP          PP
MM          MM          MM          AA          AA          PP          PP
MM          MM          MM          AA          AA          PPPPPPPP
MM          MM          MM          AA          AA          PPPPPPPP
MM          MM          AAAAAAAAAA          PP
MM          MM          AAAAAAAAAA          PP
MM          MM          AA          AA          PP
MM          MM          AA          AA          PP
MM          MM          AA          AA          PP
MM          MM          AA          AA          PP

```


+-----+
! Object Module Synopsis !
+-----+

Module Name	Ident	Bytes	File	Creation Date	Creator
TRANSFER	V04-000	422	-\$255\$DUA28:[PRTSMB.OBJ]PRTSMB.OLB;1	16-SEP-1984 02:08	VAX/VMS Macro V04-00
SEPARATE	V04-001	13057	-\$255\$DUA28:[PRTSMB.OBJ]PRTSMB.OLB;1	16-Sep-1984 02:23	VAX-11 Bliss-32 V4.0-742
TABLES	V04-000	1244	-\$255\$DUA28:[PRTSMB.OBJ]PRTSMB.OLB;1	16-Sep-1984 02:30	VAX-11 Bliss-32 V4.0-742
DISPATCH	V04-000	4587	-\$255\$DUA28:[PRTSMB.OBJ]PRTSMB.OLB;1	16-Sep-1984 02:10	VAX-11 Bliss-32 V4.0-742
INPUT	V04-000	2341	-\$255\$DUA28:[PRTSMB.OBJ]PRTSMB.OLB;1	16-Sep-1984 02:16	VAX-11 Bliss-32 V4.0-742
FORMAT	V04-000	1614	-\$255\$DUA28:[PRTSMB.OBJ]PRTSMB.OLB;1	16-Sep-1984 02:14	VAX-11 Bliss-32 V4.0-742
OUTPUT	V04-000	855	-\$255\$DUA28:[PRTSMB.OBJ]PRTSMB.OLB;1	16-Sep-1984 02:21	VAX-11 Bliss-32 V4.0-742
MEMORY	V04-000	1282	-\$255\$DUA28:[PRTSMB.OBJ]PRTSMB.OLB;1	16-Sep-1984 02:19	VAX-11 Bliss-32 V4.0-742
MESSAGE	V04-000	1200	-\$255\$DUA28:[PRTSMB.OBJ]PRTSMB.OLB;1	16-Sep-1984 02:20	VAX-11 Bliss-32 V4.0-742
SERVICES	V04-000	1245	-\$255\$DUA28:[PRTSMB.OBJ]PRTSMB.OLB;1	16-Sep-1984 02:30	VAX-11 Bliss-32 V4.0-742
PSMMSG	V04-000	42	-\$255\$DUA28:[PRTSMB.OBJ]PRTSMB.OLB;1	16-SEP-1984 02:31	VAX-11 Message V04-00
SMBMSG	V04-000	42	-\$255\$DUA28:[PRTSMB.OBJ]PRTSMB.OLB;1	16-SEP-1984 02:31	VAX-11 Message V04-00
BANNER	V04-000	372	-\$255\$DUA28:[PRTSMB.OBJ]PRTSMB.OLB;1	16-SEP-1984 02:09	VAX/VMS Macro V04-00
SYS	V04-000	0	-\$255\$DUA28:[SYSOBJ]SYS.STB;1	16-SEP-1984 04:00	VAX-11 Linker V04-00
SYSSP1_VECTOR	V04-000	0	-\$255\$DUA28:[SYSLIB]STARLET.OLB;2	16-SEP-1984 00:40	VAX/VMS Macro V04-00
BASRTL	V04-000	0	-\$255\$DUA28:[SYSLIB]BASRTL.EXE;1	16-SEP-1984 04:06	VAX-11 Linker V04-00
MTHRTL	V04-000	0	-\$255\$DUA28:[SYSLIB]MTHRTL.EXE;1	16-SEP-1984 04:04	VAX-11 Linker V04-00
LBRSHR	V04-000	0	-\$255\$DUA28:[SYSLIB]LBRSHR.EXE;1	16-SEP-1984 04:16	VAX-11 Linker V04-00
LIBRTL	V04-000	0	-\$255\$DUA28:[SYSLIB]LIBRTL.EXE;1	16-SEP-1984 04:00	VAX-11 Linker V04-00

+-----+
! Module Relocatable Reference Synopsis !
+-----+

Module Name	Number	Module Name	Number	Module Name	Number
SEPARATE	68	TABLES	20	DISPATCH	5
FORMAT	1	MESSAGE	7	SERVICES	2

+-----+
! Image Section Synopsis !
+-----+

Cluster	Type	Pages	Base Addr	Disk VBN	PFC	Protection and Paging	Global Sec. Name	Match	Majorid	Minorid
DEFAULT_CLUSTER	1	1	00000000-R	2	0	READ ONLY				
	2	2	00000200-R	3	0	READ WRITE	COPY ON REF			
	2	54	00000600-R	5	0	READ WRITE	NON-SHAREABLE ADDRESS DATA			
	2	1	00007200-R	59	0	READ WRITE	COPY ON REF			
	4	1	P-00007400-R	60	0	READ WRITE	COPY ON REF			
	2	2	00007600-R	61	0	READ WRITE	FIXUP VECTORS			
BASRTL	3	168	00000000-R	0	0	READ ONLY	BASRTL_001	LESS/EQUAL	1	10
	4	3	00015000-R	0	0	READ WRITE	COPY ON REF BASRTL_002	LESS/EQUAL	1	10
	3	1	00015600-R	0	0	READ ONLY	BASRTL_003	LESS/EQUAL	1	10
	2	2	00015800-R	0	0	READ WRITE	FIXUP VECTORS BASRTL_004	LESS/EQUAL	1	10
MTHRTL	3	115	00000000-R	0	0	READ ONLY	MTHRTL_001	LESS/EQUAL	129	32778
	2	1	0000E600-R	0	0	READ WRITE	FIXUP VECTORS MTHRTL_002	LESS/EQUAL	129	32778
LBRSHR	1	1	00000000-R	0	0	READ ONLY	LBRSHR_001	LESS/EQUAL	2	9
	2	3	00000200-R	0	0	READ WRITE	COPY ON REF LBRSHR_002	LESS/EQUAL	2	9
	2	54	00000800-R	0	0	READ ONLY	LBRSHR_003	LESS/EQUAL	2	9
	4	1	00007400-R	0	0	READ WRITE	COPY ON REF LBRSHR_004	LESS/EQUAL	2	9
LIBRTL	3	111	00000000-R	0	0	READ ONLY	LIBRTL_001	LESS/EQUAL	1	11
	4	1	0000DE00-R	0	0	READ WRITE DEMAND ZERO	LIBRTL_002	LESS/EQUAL	1	11

Key for special characters above:

+-----+
: R - Relocatable :
: P - Protected :
+-----+

+-----+
! Program Section Synopsis !
+-----+

Psect Name	Module Name	Base	End	Length	Align	Attributes
-----	-----	----	----	-----	-----	-----
\$MBSHR_TRANSFER	TRANSFER	00000000	00000097	00000098 (152.)	BYTE 0 NOPIC,USR,CON,REL,LCL, SHR,NOEXE, RD,NOWRT,NOVEC
		00000000	00000097	00000098 (152.)	BYTE 0
DATA		00000200	00000437	00000238 (568.)	LONG 2 NOPIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD, WRT,NOVEC
	SEPARATE	00000200	00000203	00000004 (4.)	LONG 2
	TABLES	00000204	000003FB	000001F8 (504.)	LONG 2
	INPUT	000003FC	000003FF	00000004 (4.)	LONG 2
	MEMORY	00000400	0000040F	00000010 (16.)	LONG 2
	MESSAGE	00000410	00000411	00000002 (2.)	LONG 2
	SERVICES	00000414	00000437	00000024 (36.)	LONG 2
CODE		00000600	00007008	00006A09 (27145.)	LONG 2 NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD,NOWRT,NOVEC
	TRANSFER	00000600	0000070D	0000010E (270.)	LONG 2
	SEPARATE	00000710	00003A0C	000032FD (13053.)	LONG 2
	TABLES	00003A10	00003CF3	000002E4 (740.)	LONG 2
	DISPATCH	00003CF4	00004EDE	000011EB (4587.)	LONG 2
	INPUT	00004EE0	00005800	00000921 (2337.)	LONG 2
	FORMAT	00005804	00005E51	0000064E (1614.)	LONG 2
	OUTPUT	00005E54	000061AA	00000357 (855.)	LONG 2
	MEMORY	000061AC	0000669D	000004F2 (1266.)	LONG 2
	MESSAGE	000066A0	00006B4D	000004AE (1198.)	LONG 2
	SERVICES	00006B50	00007008	000004B9 (1209.)	LONG 2
. BLANK .		00007200	00007373	00000174 (372.)	BYTE 0 NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC
	BANNER	00007200	00007373	00000174 (372.)	BYTE 0
MSGPTR\$AAAAAAA		00007400	0000740F	00000010 (16.)	LONG 2 PIC,USR,OVR,REL,LCL,NOSHR,NOEXE, RD, WRT, VEC
	PSMMSG	00007400	0000740F	00000010 (16.)	LONG 2
	SMBMSG	00007400	0000740F	00000010 (16.)	LONG 2
MSGPTR\$AAAAAAB		00007410	00007417	00000008 (8.)	LONG 2 PIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD, WRT, VEC
	PSMMSG	00007410	00007413	00000004 (4.)	LONG 2
	SMBMSG	00007414	00007417	00000004 (4.)	LONG 2
MSGPTR\$AAAAAAC		00007418	0000741B	00000004 (4.)	LONG 2 PIC,USR,OVR,REL,LCL,NOSHR,NOEXE, RD, WRT, VEC
	PSMMSG	00007418	0000741B	00000004 (4.)	LONG 2
	SMBMSG	00007418	0000741B	00000004 (4.)	LONG 2
MSGPTR\$SECTION		0000741C	0000743F	00000024 (36.)	BYTE 0 PIC,USR,CON,REL,LCL,NOSHR,NOEXE, RD, WRT, VEC
	PSMMSG	0000741C	0000742D	00000012 (18.)	BYTE 0
	SMBMSG	0000742E	0000743F	00000012 (18.)	BYTE 0

Symbol	Value	Defined By	Referenced By ...
PSM\$FILE_SETUP_2	00005164-R	INPUT	TABLES
PSM\$FILE_TRAILER	00000928-RU	SEPARATE	TABLES
PSM\$FORM_SETUP	0000516C-R	INPUT	TABLES
PSM\$FUNCTION_DISPATCH	00003DA0-R	DISPATCH	MESSAGE
PSM\$GL_MAXBUF	000003F4-R	TABLES	DISPATCH
PSM\$GL_SCBVEC	00000374-R	TABLES	DISPATCH
PSM\$GL_USER_CTX	000003F8-R	TABLES	DISPATCH
PSM\$HANGUP_DISPATCH_TABLE	00000600-R	TRANSFER	OUTPUT
PSM\$INCLUDE_MODULES	0000468C-RU	DISPATCH	FORMAT
PSM\$INITIALIZE_SCB	00006336-R	MEMORY	MESSAGE
PSM\$JOB_BURST	000009CD-R	SEPARATE	TABLES
PSM\$JOB_COMPLETION	00005195-R	INPUT	TABLES
PSM\$JOB_FLAG	00000A6F-RU	SEPARATE	TABLES
PSM\$JOB_RESET	0000519D-R	INPUT	TABLES
PSM\$JOB_SETUP	000051C8-R	INPUT	TABLES
PSM\$JOB_TRAILER	00000BD8-RU	SEPARATE	TABLES
PSM\$LIBRARY_INPUT	0000521F-R	INPUT	TABLES
PSM\$MAIN_FORMAT	00005805-R	FORMAT	TABLES
PSM\$MAIN_INPUT	00004FC4-R	INPUT	TABLES
PSM\$MIT	00003C10-R	TABLES	MEMORY
PSM\$OUTPUT	00005E54-R	OUTPUT	TABLES
PSM\$PAGE_HEADER	00000C90-RU	SEPARATE	TABLES
PSM\$PAGE_SETUP	0000526B-RU	INPUT	TABLES
PSM\$PRINT	000046D8-RU	DISPATCH	TRANSFER
PSM\$READ_ITEM_DX	0000641E-RU	MEMORY	SEPARATE
PSM\$READ_ITEM_R	00006488-RU	MEMORY	INPUT
PSM\$RECEIVE_MESSAGE_AST	000066C0-R	MESSAGE	DISPATCH
PSM\$REPLACE	00006BE9-RU	SERVICES	TRANSFER
PSM\$REPORT	00004588-RU	DISPATCH	INPUT
PSM\$RESET_SCB	000064A2-R	MEMORY	MESSAGE
PSM\$SCHEDULE_NON_AST	00006D3E-R	SERVICES	DISPATCH
PSM\$SRV	00000204-R	TABLES	DISPATCH
PSM\$STORE_ERRORS	000047DD-R	DISPATCH	FORMAT
PSM\$S_HANGUP_DISPATCH_ENTRY	00000008	TRANSFER	OUTPUT
PSM\$UPDATE_SCB	000065A0-R	MEMORY	DISPATCH
PSM\$WAIT_FOR_NON_AST	00006EB4-R	SERVICES	MEMORY
PSM\$WRITE_ITEM_DX	00006602-RU	MEMORY	SEPARATE
PSM\$WRITE_ITEM_R	00006661-RU	MEMORY	MESSAGE
PSM\$XLATE_8BIT	00003A10-R	TABLES	DISPATCH
PSM\$XLATE_ALIGN	00003B10-R	TABLES	DISPATCH
PSM\$_BUFFEROVF	01068018	PSMMSG	DISPATCH
PSM\$_EOF	0106803A-U	PSMMSG	MEMORY
PSM\$_ESCAPE	01068030	PSMMSG	SEPARATE

[illegible]

Symbol	Value	Defined By	Referenced By ...		
STR\$ANALYZE_SDESC	0000767C-RX	LIBRTL	DISPATCH MEMORY SEPARATE	FORMAT MESSAGE SERVICES	INPUT OUTPUT TABLES
STR\$ANALYZE_SDESC_R1	00007678-RX	LIBRTL	DISPATCH MEMORY SEPARATE	FORMAT MESSAGE SERVICES	INPUT OUTPUT TABLES
STR\$APPEND	00007680-RX	LIBRTL	DISPATCH MEMORY SEPARATE	FORMAT MESSAGE SERVICES	INPUT OUTPUT TABLES
STR\$CONCAT	00007684-RX	LIBRTL	DISPATCH MEMORY SEPARATE	FORMAT MESSAGE SERVICES	INPUT OUTPUT TABLES
STR\$COPY_DX	0000768C-RX	LIBRTL	DISPATCH MEMORY SEPARATE	FORMAT MESSAGE SERVICES	INPUT OUTPUT TABLES
STR\$COPY_R	00007688-RX	LIBRTL	DISPATCH MEMORY SEPARATE	FORMAT MESSAGE SERVICES	INPUT OUTPUT TABLES
STR\$FREE1_DX	00007694-RX	LIBRTL	DISPATCH MEMORY SEPARATE	FORMAT MESSAGE SERVICES	INPUT OUTPUT TABLES
STR\$FREE1_DX_R4	00007690-RX	LIBRTL	DISPATCH MEMORY SEPARATE	FORMAT MESSAGE SERVICES	INPUT OUTPUT TABLES
STR\$GET1_DX	00007698-RX	LIBRTL	DISPATCH MEMORY SEPARATE	FORMAT MESSAGE SERVICES	INPUT OUTPUT TABLES
STR\$LEFT	0000769C-RX	LIBRTL	DISPATCH MEMORY SEPARATE	FORMAT MESSAGE SERVICES	INPUT OUTPUT TABLES
STR\$PREFIX	000076A0-RX	LIBRTL	DISPATCH MEMORY SEPARATE	FORMAT MESSAGE SERVICES	INPUT OUTPUT TABLES
STR\$RIGHT	000076A4-RX	LIBRTL	DISPATCH MEMORY SEPARATE	FORMAT MESSAGE SERVICES	INPUT OUTPUT TABLES
SUSPEND_SERVICE	00004E78-R	DISPATCH			
SYSS\$ALLOC	7FFEDE38	SYSP1_VECTOR	OUTPUT		
SYSS\$ASSIGN	7FFEDE50	SYS	OUTPUT	SERVICES	
SYSS\$CANCEL	7FFEDE60	SYS	OUTPUT		
SYSS\$CLOSE	7FFEE1B8	SYS	DISPATCH	INPUT	
SYSS\$CONNECT	7FFEE1C0	SYS	INPUT		
SYSS\$DALLOC	7FFEDED8	SYS	OUTPUT		
SYSS\$DASSGN	7FFEDEE0	SYS	OUTPUT		
SYSS\$DCLAST	7FFEDEE8	SYS	DISPATCH		
SYSS\$EXIT	7FFEDF40	SYS	DISPATCH		
SYSS\$FAO	7FFEDF50	SYS	DISPATCH	FORMAT	SEPARATE
SYSS\$FILESCAN	7FFEE278	SYSP1_VECTOR	SEPARATE		
SYSS\$FIND	7FFEE170	SYSP1_VECTOR	INPUT		
SYSS\$GET	7FFEE180	SYS	INPUT		
SYSS\$GETDVIW	7FFEE418	SYS	OUTPUT		
SYSS\$GETSYIW	7FFEE430	SYSP1_VECTOR	DISPATCH	SEPARATE	

 /*
 /*
 /*
 agg

Symbol	Value	Defined By	Referenced By ...
SYSS\$GETTIM	7FFEDF78	SYSS\$P1_VECTOR	MESSAGE
SYSS\$HIBER	7FFEDF88	SYS	SERVICES
SYSS\$K_VERSION	48513258	SYS	
SYSS\$OPEN	7FFEE208	SYS	INPUT
SYSS\$PURGWS	7FFEDFB0	SYSS\$P1_VECTOR	DISPATCH SERVICES
SYSS\$PUTMSG	7FFEE0E0	SYS	DISPATCH
SYSS\$QIO	7FFEDFC8	SYS	OUTPUT SERVICES
SYSS\$QIOW	7FFEDE00	SYS	OUTPUT
SYSS\$REWIND	7FFEE210	SYSS\$P1_VECTOR	INPUT
SYSS\$SETIMR	7FFEE020	SYS	MESSAGE
SYSS\$SETPRV	7FFEE100	SYS	DISPATCH
SYSS\$TRNLOG	7FFEE058	SYS	SEPARATE
SYSS\$WAIT	7FFEE1A8	SYS	INPUT
SYSS\$WAKE	7FFEE080	SYSS\$P1_VECTOR	SERVICES

+-----+
! Symbols By Value !
+-----+

Value	Symbols...
-----	-----
00000001	SS\$ NORMAL
00000008	PSM\$S HANGUP_DISPATCH_ENTRY
00000106	PSM\$ FACILITY
00000110	SMB\$ FACILITY
00000204	R-PSM\$SRV
00000374	R-PSM\$GL_SCBVEC
000003F4	R-PSM\$GL_MAXBUF
000003F8	R-PSM\$GL_USER_CTX
00000600	R-PSM\$HANGUP_DISPATCH_TABLE
00000710	R-PSM\$FILE_BURST
000007C1	R-PSM\$FILE_FLAG
00000928	R-PSM\$FILE_TRAILER
000009CD	R-PSM\$JOB_BURST
00000A6F	R-PSM\$JOB_FLAG
00000BD8	R-PSM\$JOB_TRAILER
00000C90	R-PSM\$PAGE_HEADER
00003A10	R-PSM\$XLATE_8BIT
00003B10	R-PSM\$XLATE_ALIGN
00003C10	R-PSM\$MIT
00003DA0	R-PSM\$FUNCTION_DISPATCH
00004588	R-PSM\$REPORT
0000468C	R-PSM\$INCLUDE_MODULES
000046D8	R-PSM\$PRINT
000047DD	R-PSM\$STORE_ERRORS
00004A44	R-EXPAND_CONDITION_VECTOR
00004DA9	R-SEARCH_FOR_STRING
00004E78	R-SUSPEND_SERVICE
00004EE1	R-PSM\$FILE_ERRORS
00004F58	R-PSM\$FILE_INFORMATION
00004FC4	R-PSM\$MAIN_INPUT
0000513B	R-PSM\$FILE_SETUP
00005164	R-PSM\$FILE_SETUP_2
0000516C	R-PSM\$FORM_SETUP
00005195	R-PSM\$JOB_COMPLETION
0000519D	R-PSM\$JOB_RESET
000051C8	R-PSM\$JOB_SETUP
0000521F	R-PSM\$LIBRARY_INPUT
0000526B	R-PSM\$PAGE_SETUP
00005805	R-PSM\$MAIN_FORMAT
00005E54	R-PSM\$OUTPUT
000061AC	R-PSM\$ALLOCATE_DSB
00006229	R-PSM\$ALLOCATE_IOB
000062AF	R-PSM\$DEALLOCATE_DSB
000062D3	R-PSM\$DEALLOCATE_IOB
000062F7	R-PSM\$ALLOCATE_SCB
00006336	R-PSM\$INITIALIZE_SCB
0000641E	R-PSM\$READ_ITEM_DX
00006488	R-PSM\$READ_ITEM_R
000064A2	R-PSM\$RESET_SCB

Value	Symbols...
000065A0	R-PSMS\$UPDATE_SCB
00006602	R-PSMS\$WRITE_ITEM_DX
00006661	R-PSMS\$WRITE_ITEM_R
000066C0	R-PSMS\$RECEIVE_MESSAGE_AST
00006B50	R-SMBS\$CHECK_FOR_MESSAGE
00006B65	R-SMBS\$READ_MESSAGE_ITEM
00006BE9	R-PSMS\$REPLACE
00006C50	R-SMBS\$INITIALIZE
00006CE4	R-SMBS\$READ_MESSAGE
00006D3E	R-PSMS\$SCHEDULE_NON_AST
00006D8D	R-SMBS\$SEND_TO_JOBCTL
00006EB4	R-PSMS\$WAIT_FOR_NON_AST
000072DE	R-PSMS\$BANNER
00007648	RX-BAS\$EDIT
00007654	RX-LBR\$GET_RECORD
00007658	RX-LBR\$LOOKUP_KEY
0000765C	RX-LBR\$RET_RMSSTV
00007660	RX-LBR\$SET_LOCATE
00007664	RX-LBR\$CLOSE
00007668	RX-LBR\$OPEN
0000766C	RX-LBR\$INI_CONTROL
00007678	RX-STR\$ANALYZE_SDESC_R1
0000767C	RX-STR\$ANALYZE_SDESC
00007680	RX-STR\$APPEND
00007684	RX-STR\$CONCAT
00007688	RX-STR\$COPY_R
0000768C	RX-STR\$COPY_DX
00007690	RX-STR\$FREE_DX_R4
00007694	RX-STR\$FREE1_DX
00007698	RX-STR\$GET1_DX
0000769C	RX-STR\$LEFT
000076A0	RX-STR\$PREFIX
000076A4	RX-STR\$RIGHT
000076A8	RX-LIB\$STOP
000076AC	RX-LIB\$SIGNAL
000076B0	RX-LIB\$TRIM_FILESPEC
000076B4	RX-LIB\$FREE_VM
000076B8	RX-LIB\$GET_VM
01068001	U-PSMS\$_FUNNOTSUP
01068009	U-PSMS\$_PENDING
01068011	U-PSMS\$_FLUSH
01068018	PSMS\$_BUFFEROVF
01068020	PSMS\$_NEWPAGE
01068028	U-PSMS\$_SUSPEND
01068030	PSMS\$_ESCAPE
0106803A	U-PSMS\$_EOF
01068042	PSMS\$_INVVMSOSC
0106804A	PSMS\$_MODNOTFND
01068052	PSMS\$_NOFILEID
0106805A	PSMS\$_OSCTOOLON
01068062	PSMS\$_TOOMANYLEV
0106806C	PSMS\$_INVITMCD

/*
/*
/*
/*end
end

Value	Symbols...
-----	-----
01108002	U-SMBS_NOMOREITEMS
0110800C	SMBS_INVSTMNBR
01108014	SMBS_INVSTRLEV
48513258	SYSSR_VERSION
7FFEDE00	SYSSQIOW
7FFEDE38	SYSSALLOC
7FFEDE50	SYSSASSIGN
7FFEDE60	SYSSCANCEL
7FFEDED8	SYSSDALLOC
7FFEDEE0	SYSSDASSGN
7FFEDEE8	SYSSDCLAST
7FFEDF40	SYSEXIT
7FFEDF50	SYSSFAO
7FFEDF78	SYSSGETTIM
7FFEDF88	SYSSHIBER
7FFEDFB0	SYSSPURGWS
7FFEDFC8	SYSSQIO
7FFEE020	SYSSSETIMR
7FFEE058	SYSSTRNLOG
7FFEE080	SYSSWAKE
7FFEE0E0	SYSSPUTMSG
7FFEE100	SYSSSETPRV
7FFEE170	SYSS\$FIND
7FFEE180	SYSSGET
7FFEE1A8	SYSSWAIT
7FFEE1B8	SYSSCLOSE
7FFEE1C0	SYSSCONNECT
7FFEE208	SYSSOPEN
7FFEE210	SYSSREWIND
7FFEE278	SYSSFILESCAN
7FFEE418	SYSSGETDVIW
7FFEE430	SYSSGETSYIW
800096FA	EXESCARRIAGE

Key for special characters above:

*	- Undefined
U	- Universal
R	- Relocatable
X	- External

! Image Synopsis !

Virtual memory allocated:
Stack size:
Image header virtual block limits:
Image binary virtual block limits:
Image name and identification:
Number of files:
Number of modules:
Number of program sections:
Number of global symbols:
Number of cross references:
Number of image sections:
Number of address fixups:
Number of code references to shareable images:
Image type:
Map format:
Estimated map length:

00000000 000079FF 00007A00 (31232. bytes, 61. pages)

0. pages

1.

1. (

1. block)

2.

7. (

6. blocks)

SMBSRVSHR V04-000

9.

19.

16.

1070.

715.

18.

103.

25.

PIC, SHAREABLE. Global Section Match=LESS/EQUAL, Ident, Major=1, Minor=0
FULL WITH CROSS REFERENCE in file _\$255\$DUA28:[PRTSMB.LIS]SMBSRVSHR.MAP;1
210. blocks

! Link Run Statistics !

Performance Indicators

	Page Faults	CPU Time	Elapsed Time
Command processing:	147	00:00:00.51	00:00:01.75
Pass 1:	244	00:00:03.58	00:00:10.99
Allocation/Relocation:	38	00:00:00.19	00:00:00.51
Pass 2:	106	00:00:01.62	00:00:05.09
Map data after object module synopsis:	23	00:00:01.34	00:00:01.52
Symbol table output:	4	00:00:00.09	00:00:00.41
Total run values:	562	00:00:07.33	00:00:20.27

Using a working set limited to 1200 pages and 755 pages of data storage (excluding image)

Total number object records read (both passes): 1496
of which 655 were in libraries and 188 were DEBUG data records containing 17445 bytes

Number of modules extracted explicitly = 1
with 13 extracted to resolve undefined symbols

88 library searches were for symbols not in the library searched

A total of 6 global symbol table records was written

LINK/SHARE=EXE\$:SMBSRVSHR/MAP=MAP\$:SMBSRVSHR/FULL/CROSS LIB\$:PRTSMB/INCLUDE=TRANSFER/LIB,EXSM:SYS.STB/SELECTIVE,SYSS\$INPUT:/OPTIONS

! Set Global Section match control

GSMATCH = LEQUAL,1,0

Define some messages as Universal Symbols for user
written symbionts

UNIVERSAL = -

PSMS_FLUSH	, -	! Service requests output flush
PSMS_FUNNOTSUP	, -	! Function not supported
PSMS_PENDING	, -	! Function pending
PSMS_SUSPEND	, -	! Function suspended
PSMS_EOF	, -	! End of input detected
SMBS_NOMOREITEMS	, -	! No more items in message

0309 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY